

3735 Harrison RoadPhone: 770-270-0076Suite 200Fax: 770-270-0767Loganville, GA 30052E-mail: barry@millerindustrial.net

TAKE TEMPS SAFELY

Forehead thermometers offer a simple, noninvasive alternative for temperature monitoring.



Non-Contact Infrared Thermometer

\checkmark	Commercial grade
	Measurement range of 95°F-109.2°F (35°C-42.9°C)
\bigcirc	High accuracy with range of +/- $0.4^{\circ}F$ ($0.2^{\circ}C$)
98.5	Reading resolution of 0.1°F (0.1°C)
	1 second response time
	Alarm sounds if raised body temperature is detected; color indicators for low, medium and high temperature ranges
\longleftrightarrow	Testing range: 2-3 in (5-8 cm) from forehead
	Memory recall of last 10 measurements
	Auto-shut off after 30 seconds
(F/C)	Displays temperature in either °F or °C
	FDA certified
	1-year warranty
\bigcirc	Requires 2 AAA batteries, included



SJMTHDG986 1/Each

No-Contact Infrared Handheld Thermometer

\bigcirc	Accurate and reliable measurement	
	Alarm sounds and backlight displays in red if temperature is more than 100.4° (38°C)	
\longleftrightarrow	Testing range: 1.2-2 in (3-5 cm) from forehead	
	Memory recall of last 32 measurements	
([°] F∕ _℃ C)	Displays temperature in either °F or °C	
	Auto-shut off after 30 seconds	
	FDA certified	
$\textcircled{\begin{tabular}{ c c } \hline \hline \hline \\ \hline $	Requires 2 AA batteries, sold separately	
GN1IT0808EA 1/Each		





GN1IT0808 50/Carton

Compatible Batteries:

DURACELL' Optimum Alkaline AA Batteries



DUROPT1500B4PRT	4/Pack
DUROPT1500B6PRT	6/Pack
DUROPT1500B8PRT	8/Pack
DUROPT1500B12PR	12/Pack



Disposable Forehead Thermometer Strips

- Shows temperature through color variation after 15 seconds

Large LCD display: green indicates normal temperature; if red/tan color shows at same time, deduct 0.9°F (0.5°C)



Measurement range of 95°F-104°F (35°C-40°C)

- Easy to use: peel off paper backing and lightly press to forehead
- Displays temperature in °F and °C

GN1FT68684PK 400/Pack